

Suitable for storing tools of plumbers, in building sites, etc.

Type with strong carbon steel sheet P 10/10, polyester powder coated

Lid with hinges and anti-tilt stops

Side handles for lifting and transport

With eyelet for padlock

Several boxes can be stacked to remarkably decrease the stocking volume

Dimensions	LxPxh	520x290x290	650x350x350	850x350x350	1000x400x450
Code		N 2284 1001	N 2284 1002	N 2284 1003	N 2284 1004
N 2284/1	Each €				
Capacity app.	l	43	78	104	180
Weight app.	kg	8	10	12	17



Aluminium type

Very strong with reinforced ribbing for increased resistance

Corrosion resistant

Rubber profile for protection against water and dust

Resistant to extreme weather and temperature conditions

Lightweight

Small size version

Suitable for storing precision tools, delicate material (e.g. glass), electronic devices, cameras, etc.

With handle coated with soft rubber, fitted to the lid, with return spring

Lid with two hinges and anti-tilt stops

Snap closure

Internal dimensions LxDxh 400x300x245 mm

External dimensions LxDxh 430x335x277 mm

Capacity 29 l - Weight 3 kg



Code N 2285 1000	N 2285/1	Each €	 1
------------------	-----------------	--------	--

Heavy-duty version

With reinforced angles for stacking

several tool boxes even with full load

With side handles coated with soft rubber

with return spring

Lid with hinges and anti-tilt stops

Snap closure



Size		1	2	3	4	5
Code		N 2286 0001	N 2286 0002	N 2286 0003	N 2286 0004	N 2286 0005
N 2286	Each €					
Internal dim. LxWxh	mm	550x350x245	750x350x350	870x460x350	750x550x380	750x550x590
External dim. LxWxh	mm	580x385x277	780x385x380	900x495x380	780x580x410	780x585x620
Capacity	l	47	91	140	157	240
Weight app.	kg	4,5	6,1	8	8,2	10

Cylinder lock with 2 keys

Suitable for replacing snap closure of tool boxes with two locks complete with keys

Code N 2286 9000	N 2286/9	Each €	 1
------------------	-----------------	--------	---



Type entirely in polypropylene

Ideal for outdoor use

Resistant to extreme weather and temperature conditions

According to ECE R 73.01

Side guard

With pull handle

Wrap-around lid with rubber gasket

to protect against **water and dust infiltrations**

Metal hinge for the entire length

Safety closure with 2 keys supplied

Hand grips embedded in the structure

Capacity 124 l

Temperature resistant from -45°C ÷ +60°C

External dimensions LxDxh 800x500x475 mm

Internal dimensions LxDxh 738x420x420 mm

Weight 7,5 kg



Code N 2286 1000	N 2286/1	Each €	 1
------------------	-----------------	--------	---